DEVANCO*CANADA

SERVICE, SUPPORT, SAVINGS 19192 HAY ROAD, UNIT Q, SUMMERSTOWN, ON KOC 2E0 TOLL FREE: 855-931-3334 • FAX: 613-931-2888 • WWW.DEVANCOCANADA.COM

JANUARY 8TH TO FEBRUARY 16TH, 2018



G

PROVIDES IMPACT PROTECTION TO VERTICAL TRACK. 7-GAUGE STEEL CONSTRUCTION, POWDER COATED SAFETY YELLOW FOR HIGH VISIBILITY. WALL FLANGE DRILLED WITH SLOTTED HOLES FOR FOUR 3/8" ANCHORS. INCLUDES RIGHT AND LEFT SIDES.

45° ANGLE FL	ANGE – SAFETY YELLOW	EACH
TRACK-GUARD-24	24" TALL, WEIGHING 44 LBS	CALL FOR PRICING
TRACK-GUARD-36	36″ TALL, WEIGHING 64 LBS	CALL FOR PRICING
TRACK-GUARD48-NP	48" TALL, NO FLOOR PLATE, WEIGHING 74 LBS	CALL FOR PRICING
TRACK-GUARD-48	48" TALL, WEIGHING 84 LBS	CALL FOR PRICING

QUANTITIES LIMITED. WE RESERVE THE RIGHT TO LIMIT QUANTITIES.

19192 HAY ROAD, UNIT Q, SUMMERSTOWN, ON KOC 2E0 TOLL FREE: 855-931-3334 • FAX: 613-931-2888 • WWW.DEVANCOCANADA.COM

INTRODUCING THE NEW

With built-in Wi-Fi[®], integrated Battery Backup, a MyQ[®] Remote LED Light and an Automatic Garage Door Lock, this NEW 8500W is the ultimate garage access solution.

\$3840 OFF **UNTIL FEBRUARY 16TH**

VISA



LiftMaster



DEVANCO CANADA DELIVERS THE BRANDS YOU NEED





JANUARY 8TH TO FEBRUARY 16TH, 2018

SPACE-SAVING DESIGN • ULTRA QUIET • ADVANCED SECURITY



STATIONARY **CONE TOOL**

 DISLODGES THE CONE EASILY FROM THE TORSION SPRING

Z9211-1: Size 1-3/4" & 2"	\$CALL
Z9211-2: Size 2-5/8"	\$CALL
Z9211-3: Size 3-3/4"	

MANARAS, 3-BTN, **DIP SWITCH** TRANSMITTER 313 MHZ

- OPERATES ONE TO THREE DOORS • 3-BTN, OPEN/CLOSE
- 10 DIP-SWITCHES
- LED INDICATOR
- ERGONOMIC DESIGN
- 3V BATTERY AND SUN-VISOR CLIP INCLUDED
- **REPLACES: RADIO-27**, **RADIO-16, RADIO-22**

RADIO-EM903

\$CALL 12+ \$CALL 24+ \$CALL



WE WILL HELP YOU **COVER ALL ANGLES!**

PERFORATED ANGLE, 14G, 1-1/4" X 10 FT

• 10 pieces of 10ft per bundle • Blue

ANGLE IRON 10+ SCALL 100+ SCALL

NEW!

PERFORATED ANGLE, 13G, 1-1/4" X 10 FT

- 10 pieces of 10ft per bundle
- Orange ANGLE-13G 10+ \$CALL

NEW!

PERFORATED ANGLE, 16G, 1-1/4" X 10 FT

• 10 pieces of 10ft per bundle

• Red ANGLE-16G 10+ \$CALL 100+ \$CALL

PERFORATED ANGLE, 13G, 2" X 2" X 10 FT

- Sold individually
- All holes, No slots
- Hole size: 7/16"
- ANGLE-13G-2X2 **10+ \$CALL**







VINYL

CF-101

COMES IN LENGTHS OF 8', 10', 12', 14', 16' AND 24'









FULL LENGTH TORSION SPRINGS WIRE SIZE 1-3/4" 2"

0.192	\$CALL	\$CALL
0.207	\$CALL	\$CALL
0.218	\$CALL	\$CALL
0.225	\$CALL	\$CALL
0.234	\$CALL	\$CALL
0.243	\$CALL	\$CALL
0.250	\$CALL	\$CALL
0.262	\$CALL	\$CALL
0.273	\$CALL	\$CALL
0.283	\$CALL	\$CALL
0.295	\$CALL	\$CALL
0.306		\$CALL
0.312		
0.319		
0.331		10
0.343		100
0.363		



*CUT SPRINGS ALSO AVAILABLE.

0.375

0.393

0.406

0.421

0.437 0.468

11 GAUGE HINGES			
		BULK QTY/EA	
H11GO1	#1	WOW! \$CALL 30+	
H11G02	#2	WOW! \$CALL 30+	
H11GO3	#3	WOW! \$CALL 30+	
H11G04	#4	WOW! \$CALL 30+	
H11G05	#5	WOW! \$CALL 30+	
H11G06	#6	WOW! \$CALL 30+	
H11G07	#7	WOW! \$CALL 30+	
H11G08	#8	WOW! \$CALL 30+	
H11G09	#9	WOW! \$CALL 25+	
H11G10	#10	WOW! \$CALL 25+	
H11G11	#11	WOW! \$CALL 25+	
H11G12	#12	WOW! \$CALL 50+	





SPRI

SF175

SF200

SF258

SF375

SF375-1

SF514U

SF514U-

SF600U

SF600U-



S (144" /1	12')		
2-5/8"	3-3/4"	5-1/4"	6"
\$CALL			
\$CALL	-		
\$CALL			
\$CALL			
\$CALL	\$CALL	A TO S	
\$CALL	\$CALL		
\$CALL	\$CALL		
\$CALL	\$CALL		
\$CALL	\$CALL	\$CALL	\$CALL
\$CALL	\$CALL	\$CALL	\$CALL
\$CALL	\$CALL	\$CALL	\$CALL
\$CALL	\$CALL	\$CALL	\$CALL
\$CALL	\$CALL	\$CALL	\$CALL
\$CALL	\$CALL	\$CALL	\$CALL
\$CALL	\$CALL	\$CALL	\$CALL
	\$CALL	\$CALL	\$CALL

NG	FITTINGS (SOLD IN PA	AIRS)	
		EACH	BULK QTY/EA
	1-3/4″	\$CALL	\$CALL 50+
	2"	\$CALL	\$CALL 40+
	2-5/8″	\$CALL	\$CALL 20+
	3-3/4", UNIVERSAL, LONG EAR	\$CALL	\$CALL 10+
14	3-3/4", 1-1/4" BORE, LONG EAR	\$CALL	-
	5-1/4", FOR 1" SHAFT	\$CALL	-
114	5-1/4", FOR 1-1/4" SHAFT	\$CALL	-
	6", FOR 1" SHAFT	\$CALL	-
114	6", FOR 1-1/4" SHAFT	\$CALL	-



855-931-3334 • WWW.DEVANCOCANADA.COM



Available in 8'. 10'. 12'. 14'. 16' & 24' 100.5-1-3/4



USED ON ALL BRANDS OF COMMERCIAL DOOR AND GATE OPERATORS



22-120 (115-120V) 99 QTY 15+ 22-240 (230-240V) SP 122 **QTY 15+** 22-575 (575V)

QTY 15+

DEVANCO CANADA WEATHERSTRIP LUBRICANT, 275G

- Lubricates and protects weatherstrip on garage doors, doors and windows
- Helps prevent sticking during extreme hot and extreme cold conditions **AVAILABLE**

FOR PRIVATE

LABEL

WSL-1 1-11 **SCALL**

12+ \$CALL 60+ \$CALL

Login or call for special pricing! **LiftMaster** Logic 5.0

Commercial Door Operator Model RBH

The most advanced line of commercial door operators has MyQ® Technology for smartphone control and Security+ 2.0® to safeguard facilities. RBH

Login or call for special pricing!

LiftMaster

Medium-Duty Commercial Door Operator Model MH

Strong and durable, the medium-duty series of operators is built to handle a variety of commercial applications. MH









STARTING AT



MICONON VARIABLE SPEED MODIFICATION For Pro-TB, Pro-HHD, Pro-GH & Pro-GHC

- Perfect for First Responders, Ambulance Bays, Fire Halls and Underground Parking
- Ideal for high end condo buildings with high traffic and a requirement for a quiet operator
- Allows 14' sectional door to open in less than 7-8 seconds!!
- Opens and closes the door faster, allowing for savings on heating and cooling costs
- Superior drive performance when compared to conventional sectional door operating systems
- Reduces wear on door and hardware
- Extends life cycle of the entire door system
- Allows for high speed operation without risk of dropping cables







855-931-3334 • WWW.DEVANCOCANADA.COM

LOADING DOCK BUMPERS

STANDARD LAMINATED BUMPERS

MEDIUM TRAFFIC LOADING DOCKS IN FACTORIES AND WAREHOUSES. CAN BE USED AS RUB RAILS AT THE SIDES OF TRUCK WELLS OR WALL PROTECTION TO ABSORB FORKLIFT IMPACTS.



LB406-14



LVB420-11
LID .LO 11

4" PROJE	CTION	EACH	GALV.
HORIZONT	AL INSTALLATION		
LB406-14	6" HIGH X 14" WIDE, WEIGHING 20 LBS	\$CALL	+ \$CALL
LB406-24	6" HIGH X 24" WIDE, WEIGHING 32 LBS	\$CALL	+ \$CALL
LB406-36	6" HIGH X 36" WIDE, WEIGHING 41 LBS	\$CALL	+ \$CALL
LB410-12	10" HIGH X 12" WIDE, WEIGHING 27 LBS	\$CALL	+ \$CALL
LB410-14	10" HIGH X 14" WIDE, WEIGHING 31 LBS	\$CALL	+ \$CALL
LB410-18	10" HIGH X 18" WIDE, WEIGHING 38 LBS	\$CALL	+ \$CALL
LB410-24	10" HIGH X 24" WIDE, WEIGHING 49 LBS	\$CALL	+ \$CALL
LB410-36	10" HIGH X 36" WIDE, WEIGHING 72 LBS	\$CALL	+ \$CALL
LB412-12	12" HIGH X 12" WIDE, WEIGHING 32 LBS	\$CALL	+ \$CALL
LB412-14	12" HIGH X 14" WIDE, WEIGHING 36 LBS	\$CALL	+ \$CALL
LB412-18	12" HIGH X 18" WIDE, WEIGHING 45 LBS	\$CALL	+ \$CALL
LB412-24	12" HIGH X 24" WIDE, WEIGHING 58 LBS	\$CALL	+ \$CALL
LB412-36	12" HIGH X 36" WIDE, WEIGHING 85 LBS	\$CALL	+ \$CALL
VERTICAL	INSTALLATION		
LVB420-11	20" HIGH X 11" WIDE, WEIGHING 50 LBS	\$CALL	+ \$CALL
LVB424-11	24" HIGH X 11" WIDE, WEIGHING 59 LBS	\$CALL	+ \$CALL
LVB430-11	30" HIGH X 11" WIDE, WEIGHING 73 LBS	\$CALL	+ \$CALL
LVB436-11	36" HIGH X 11" WIDE, WEIGHING 88 LBS	\$CALL	+ \$CALL
L-SHAPED	FOR GREATER PROTECTION		
4" L-LAMINATED	20" HIGH X 22" WIDE, WEIGHING 100 LBS	\$CALL	N/A

*Extra-wide laminated rubber bumpers also available.

NYTREX™ SLIDER BUMPERS

PREVENT DOCK DESTRUCTION WITH NEAR-INDESTRUCTIBLE NYTREX™ MATERIAL. THIS SPECIALLY FORMULATED NYLON BASED MATERIAL IS ENGINEERED FOR MAXIMUM LOADING DOCK PROTECTION. REPLACES LAMINATED OR MOLDED BUMPERS.



4" PROJE	CTION	EACH
NYTREX [™] 18	18" HIGH X 10" WIDE, WEIGHING 27 LBS	\$CALL
NYTREX [™] R	13" HIGH X 12" WIDE, WEIGHING 22 LBS	\$CALL
NYTREX [™] 13	13" HIGH X 10" WIDE, WEIGHING 20 LBS	\$CALL
NYTREX [™] ONLY	EITHER SIZE	\$CALL

NYTREX[™] R

*Various projections available by adding steel extension brackets.



STEEL-FACED LAMINATED BUMPERS

WEAR RESISTANT, LONG-LASTING PROTECTION FOR THE LOADING DOCK. THEY ABSORB MORE SHOCK AND ABRASION THAN CONVENTIONAL BUMPERS. THAT MEANS LONGER WEAR EXPECTANCY WITH FEWER REPLACEMENTS.

LB410-14SF
LVB420-11SF

4" PROJE	CTION	EACH
HORIZONTA	AL INSTALLATION	
LB410-14SF	10" HIGH X 14" WIDE, WEIGHING 48 LBS	\$CALL
LB410-18SF	10" HIGH X 18" WIDE, WEIGHING 60 LBS	\$CALL
LB410-24SF	10" HIGH X 24" WIDE, WEIGHING 75 LBS	\$CALL
LB410-36SF	10" HIGH X 36" WIDE, WEIGHING 121 LBS	\$CALL
LB412-14SF	12" HIGH X 14" WIDE, WEIGHING 51 LBS	\$CALL
LB412-18SF	12" HIGH X 18" WIDE, WEIGHING 64 LBS	\$CALL
LB412-24SF	12" HIGH X 24" WIDE, WEIGHING 88 LBS	\$CALL
LB412-36SF	12" HIGH X 36" WIDE, WEIGHING 145 LBS	\$CALL
VERTICAL I	NSTALLATION	
LVB420-11SF	20" HIGH X 11" WIDE, WEIGHING 65 LBS	\$CALL
LVB424-11SF	24" HIGH X 11" WIDE, WEIGHING 77 LBS	\$CALL
LVB436-11SF	36" HIGH X 11" WIDE, WEIGHING 95 LBS	\$CALL
L-SHAPED F	FOR GREATER COVERAGE	
4" L-STEEL FACE	20" HIGH X 22" WIDE, WEIGHING 140 LBS	\$CALL

4" PROJE	CTION	EACH
HORIZONTA	L INSTALLATION	
LB410-14SF	10" HIGH X 14" WIDE, WEIGHING 48 LBS	\$CALL
LB410-18SF	10" HIGH X 18" WIDE, WEIGHING 60 LBS	\$CALL
LB410-24SF	10" HIGH X 24" WIDE, WEIGHING 75 LBS	\$CALL
LB410-36SF	10" HIGH X 36" WIDE, WEIGHING 121 LBS	\$CALL
LB412-14SF	12" HIGH X 14" WIDE, WEIGHING 51 LBS	\$CALL
LB412-18SF	12" HIGH X 18" WIDE, WEIGHING 64 LBS	\$CALL
LB412-24SF	12" HIGH X 24" WIDE, WEIGHING 88 LBS	\$CALL
LB412-36SF	12" HIGH X 36" WIDE, WEIGHING 145 LBS	\$CALL
VERTICAL I	NSTALLATION	
LVB420-11SF	20" HIGH X 11" WIDE, WEIGHING 65 LBS	\$CALL
LVB424-11SF	24" HIGH X 11" WIDE, WEIGHING 77 LBS	\$CALL
LVB436-11SF	36" HIGH X 11" WIDE, WEIGHING 95 LBS	\$CALL
L-SHAPED F	FOR GREATER COVERAGE	
4" L-STEEL FACE	20" HIGH X 22" WIDE, WEIGHING 140 LBS	\$CALL

4" PROJE	CTION	EACH
HORIZONTA	L INSTALLATION	
LB410-14SF	10" HIGH X 14" WIDE, WEIGHING 48 LBS	\$CALL
LB410-18SF	10" HIGH X 18" WIDE, WEIGHING 60 LBS	\$CALL
LB410-24SF	10" HIGH X 24" WIDE, WEIGHING 75 LBS	\$CALL
LB410-36SF	10" HIGH X 36" WIDE, WEIGHING 121 LBS	\$CALL
LB412-14SF	12" HIGH X 14" WIDE, WEIGHING 51 LBS	\$CALL
LB412-18SF	12" HIGH X 18" WIDE, WEIGHING 64 LBS	\$CALL
LB412-24SF	12" HIGH X 24" WIDE, WEIGHING 88 LBS	\$CALL
LB412-36SF	12" HIGH X 36" WIDE, WEIGHING 145 LBS	\$CALL
VERTICAL I	NSTALLATION	
LVB420-11SF	20" HIGH X 11" WIDE, WEIGHING 65 LBS	\$CALL
LVB424-11SF	24" HIGH X 11" WIDE, WEIGHING 77 LBS	\$CALL
LVB436-11SF	36" HIGH X 11" WIDE, WEIGHING 95 LBS	\$CALL
L-SHAPED F	OR GREATER COVERAGE	
4" L-STEEL FACE	20" HIGH X 22" WIDE, WEIGHING 140 LBS	\$CALL

IDEAL FOR LOW-TRAFFIC, LOW-IMPACT APPLICATIONS. ALL BUMPERS HAVE PRE-DRILLED, COUNTERSUNK MOUNTING HOLES FOR EASY INSTALLATION, AND ARE DRILLED TO ACCEPT 3/4" ANCHOR BOLTS.

4" PRO、	JECTION	EACH
DB13	13" HIGH X 10" WIDE, WEIGHING 24 LBS	\$CALL
DB13-T	13" HIGH X 10" WIDE, WEIGHING 16 LBS	\$CALL
R	13" HIGH X 12" WIDE, WEIGHING 22 LBS (FOR EDGE OF DOCK)	\$CALL
M-18	18" HIGH X 10" WIDE, WEIGHING 28 LBS	\$CALL
L	18" HIGH X 18" WIDE (#1) X 8" WIDE (#2), WEIGHING 41 LBS	\$CALL
BB	24" HIGH X 10" WIDE, WEIGHING 37 LBS	\$CALL
M-30	30" HIGH X 10" WIDE, WEIGHING 47 LBS	\$CALL

*2", 3" and 6" projection also available, as well as different shapes and sizes. *Truck bumpers also available.

ANCO*CANADA

*5-1/4", 6" and 6-3/4" projection also available.

RUBBER BUMPERS

BRACKETS AND MOUNTING PLATES ALSO AVAILABLE THEY MAKE LOADING DOCK BUMPERS EASY TO INSTALL EVEN ON IRREGULAR OR UNCONVENTIONAL SURFACES