LiftMaster LIGHT COMMERCIAL - RESIDENT SWING GATE OPERATORS MODEL LA500

COMMON KEY FEATURES

- Rated for gates up to 18 feet in length or weighing up to 1,600 lbs
- Gate travel speed at 90° opening in 15-17 seconds
- LED diagnostic display makes it easy-to-read, simplifies installation and troubleshooting
- Security+2.0™ on-board radio receiver accepts up to 50 remotes
- Homelink® compatible for version 4 and higher
- Anti tailgate to prevent unauthorized access
- Wireless dual-gate communication (with second control box for the LA500DCS)
- Simultaneously closes gates
- Bi-part delay: Monitors the speed and position of each wing and adjusts the speed as necessary to ensure primary gate closes last, avoiding potential damage to the gate



INCLUDES: LA500DC arm, XL solar control box (XL-SOLARCONTU), universal solar harness (K94-37236), retro reflective photos eyes (LMRRU), battery tray (K10-36183) and two batteies (A12330SGLPK)

CALL FOR PRICING



LA500PKGU

INCLUDES: LA500DC arm, control panel with circuit board, retro reflective photos eyes (LMRRU)

CALL FOR PRICING



LA500DCS

INCLUDES: 40 foot cable and junction box

CALL FOR PRICING

INDUSTRIAL SLIDE GATE OPERATOR VARIABLE SPEED FOR OPENINGS FROM 15 TO 45 FEET SPECIAL ORDER FOR OPENINGS FROM **45 TO 100 FEET** 2 HP, 240V, with thermostat controlled heater Heavy-duty aluminum cabinet, Nema 3R Nema 4 control panel Programmable logic controller Available input voltage 240 single phase, 208/600 VAC 3 phase Adjustable friction clutch Opening/Closing speed of 24"/sec INSULATED CABINET AVAILABLE

It is a period of great savings in the galaxy...

We've joined forces with LiftMaster, Manaras, Doorlec, Micanan, Linear, Genie, BEA, Miller Edge, Marantec, Carlo Gavazzi, Wayne Dalton, Elton, Whiting, Todco and many more to ensure you can offer your customers the products they need in light speed.

- This month, our customers benefit on;
 Specials on the 8500W and 8365W-267 until June 29th
- The introduction of the NEW Devanco Canada manufactured Soft Touch
- Lower pricing on the FRABA Wireless Air Wave Switch
- Lower pricing on all BEA products

With every order shipped that is placed through our website, receive a ballot into our draw to WIN A TRAEGER BRONSON 20 PELLET GRILL, BAG OF PELLETS, TRAEGER RUB AND BBQ SAUCE OR \$650.00 CREDIT ON ACCOUNT! Contact Meaghan (meaghan@devancocanada.com) for your login information! May the savings be with you, only from Devanco Canada!

*Only orders placed through our website qualify for ballots. *One ballot for every order shipped between June 1st and June 29th, 2018 *Prize can be traded in for \$650.00.on account instead. *Contest runs between June 1st and June 29th, 2018.







micanan VFD SERIES



MICANAN PRODUCTS MICANAN PRODUCTS



Brake Shoe And Drum Assembly For TB, APTB, JB, HB, HHB, LH, LJ, & SD MJ00013



Brake Shoe And Drum Assembly For Gearhead GH, GHC, GSD MJ00014



Brake Assembly For PRO-HHD Solenoid Sold Separately



Brake Assembly For PRO-HHD, 120 Volt Solenoid Included MX00034-110V



Brake Assembly For PRO-J/H 120 Volt Solenoid Included MX00037-120V



Brake Assembly For PRO-TB/APTB, New Model Solenoid Not Included MX00140-NEW



Complete Clutch Kit For PRO-TB, New Style Frame (MX00211) 8" Diameter Pulley MX00147-NEW



Complete Clutch Kit For PRO-TB, Old Style Frame (Before 2006) 9" Diameter MX00147-OLD
















MOTION SENSORS & ACCESSORIES

FOR AUTOMATIC PEDESTRIAN DOORS



UNIVERSALLY COMPATIBLE WITH ALL MAKES AND MODELS OF SWINGING, SLIDING AND REVOLVING AUTOMATIC DOORS



FALCON MOTION DETECTOR

- Mounting height between 11.5' and 23'
- Allows uni or bi-directional sensing, and the unique ability to open a door when traffic is moving away from the sensor
- Sensor also has the ability to discriminate between pedestrians and vehicles
- Can be set vertically from 0 to 180 degrees
- 12/24V AC/DC
- All settings are available directly on the unit or via the remote control
- Remote is sold separately BEA-10-FALCON

CALL FOR PRICING

CALL FOR

PRICING

FALCON-XL MOTION DETECTOR

- Mounting height between 6.5' and 11.5'
- Same features as the Falcon detector, but made specifically for extra low mounting
- Allows uni or bi-directional sensing, and the unique ability to open a door when traffic is moving away from the sensor
- Sensor also has the ability to discriminate between pedestrians and vehicles
- Available remote makes it easy to make adjustments to all key parameters of the sensor while at ground level
- Remote is sold separately BEA-10-FALCN-XL

CALL FOR PRICING



MOUNTING BRACKETS FOR INDUSTRIAL **APPLICATIONS**

- of 20 inches to 36 inches
- powder coated steel BEA-10-INDBRKT



INDUSTRIAL SENSOR, **DUAL TECHNOLOGY** PRESENCE DETECTION

- Combines Microwave Motion Detection with Infrared Presence Detection
- Bidirectional, unidirectional approach and unidirectional depart microwave detection options
- 6 modes of detection filtering and 9 unique infrared patterns for highly flexible presence detection
- Up to 7 minimum object targets
- Adjustable infrared immunity modes to mitigate environmental disturbances
- Can be mounted from 96"-192"
- Designed with NEMA 4 enclosure **IS40**

CALL FOR **PRICING**

PRESENCE SENSOR

- Equipped with 9 pre-programmed pattern configurations for various industrial applications
- Various learn time settings allow presence detection to either remain constant or ignore a motionless object after a predetermined period of time
- Maximum mounting height of 16' and a detection pattern up to 10' X 10'
- Immune to subtle door vibrations, light, sun and environmental changes including rain and snow
- Designed with NEMA 4 enclosure
- Most adjustments can be performed using the BEA remote control IS40P

CALL FOR **PRICING**



CALL FOR PRICING

FALCON PROGRAMMING REMOTE

 Makes it easy to set up and make adjustments to all key parameters of the Falcon motion detector while at ground level **BFA-RFMOTE**

CALL FOR PRICING.

PRODUCTS

AVAILABLE.

MORE